
inobarrier®

2026
Product Catalogue





Classic Barriers

Protocol Barriers
Retractable Belt Barriers
Wall-Mounted Barriers



Innovative Barriers

Magnetic Barriers
Cone Topper Barriers
XL Wall-Mounted Barriers

inobarrier®

Innovative Security Equipments

2026 Product Catalog

Classics

Protocol Barriers	**4-7**
Protocol Barrier Accessoires	**8-9**
Retractable Belt Barriers	**10-11**
Retractable Belt Barrier Accessoires	**12-13**
Wall-Mounted Retr. Belt Barriers	**14-15**
Barrier Transport Trolleys	**16-17**

Innovatives

Magnetic Retr. Belt Barriers	**18-19**
Cone Topper Retr. Belt Barriers	**20-21**
XL Wall-Mounted Retr. Belt Barriers	**22-23**
Fixed-Profile Barriers	**24-25**



PROTOCOL BARRIER

You can opt for the protocol barrier in areas requiring special presentations, official receptions, and VIP segregation.





Chrome Protocol Barrier

InoBarrier® RBCH1M Stainless Steel Ø320xh1.000mm

Standards
Body SS201 Glossy Chrome Ø50xh950mm WT: 1,00mm
Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm
Options
Body SS304 · Base SS304 · Base Ø350xh50mm



Gold Protocol Barrier

InoBarrier® RBGH1M Stainless Steel Ø320xh1.000mm

Standards
Body SS201 Glossy Gold PVD Coating Ø50xh950mm
Base SS201 Glossy Gold PVD Coating Ø320xh50mm
Options
Body&Base Matte/Rose Gold PVD Coating · Base Ø350xh50mm



Black Protocol Barrier

InoBarrier® RBBH1M Hot Rolled Steel Ø320xh1.000mm

Standards
Body HRS Glossy Black EP Coating Ø50xh950mm
Base HRS Glossy Black EP Coating Ø320xh50mm
Options
Body&Base HRS EP Coating Matte Black / Any RAL-Color · Base Ø350xh50mm

Key Features of the InoBarrier® Protocol Barrier



Premium Materials & Components

Unless otherwise specified, the highest quality stainless steel in its class is always selected—including for the components. This ensures longevity and quality, even in open, semi-open, and enclosed environments.



Top-Tier Craftsmanship & Quality Control

Technical operations are performed by calibrated machines, while final product processes like polishing are completed by skilled craftsmen. At every stage, the products are checked for compliance with our standards.



Compliance, Longevity & Sustainability

One of our key criteria is to maintain a consistent standard, even with customizations. Even though the product is long-lasting, should you wish to replace it, you can still find the same product and its spare parts.



Details, Improvements & Red Lines

We design our products using safe materials, ensuring environmental compliance and a user-friendly experience. Nevertheless, we pay close attention to every detail, optimizing areas for improvement and rectifying any errors.



Comprehensive Customization Solutions

We understand the specific needs of your business and can develop tailored solutions through our flexible production model. We can also provide custom project designs and visual scenarios suited to the intended application area.



Enhanced Warranty & Ideal Pricing

All our products come with a 24-month warranty when used in accordance with the usage and maintenance instructions. Additionally, we offer a price difference guarantee should you find a comparable product at a lower price.




You can find various InoBarrier® products
at **Istanbul Airport** and in global stores
within the airport and also at:
Istanbul Airport
ISTANBUL SABIHA GÖKÇEN
TAV Airports
UNIFREE
PEGASUS
KAHVE DÜNYASI
ROLLS ROYCE
JAGUAR
BMW
RIXOS
BARUT
DEDEMAN
divan
TRENDY
FOUR SEASONS
FER
MEMORIAL
MEDİPOL
uğur okulları





Chrome Protocol Barrier Cordon

InoBarrier® BCCH1M Chrome Coating Ø30xh1.500mm

Standards
Cord Lux Velvet Ø30xh1.500mm Polyethylene Foam Inner Filling
Hook Glossy Chrome Coating Ø30xh100mm WT: 1,00mm
Options
Cord Black/Red/Navy/Green/Purple/Blue/Orange/Turquoise/Grey



Gold Protocol Barrier Cordon

InoBarrier® BCGH1M Gold PVD Coating Ø30xh1.500mm

Standards
Cord Lux Velvet Ø30xh1.500mm Polyethylene Foam Inner Filling
Hook Glossy Gold PVD Coating Ø30xh100mm WT: 1,00mm
Options
Cord Black/Red/Navy/Green/Purple/Blue/Orange/Turquoise/Grey



Chrome Protocol Barrier Rope

InoBarrier® BRCH3M Chrome Coating Ø28xh1.500mm

Standards
Rope 3-Strand Lux Silk Ø28xh1.500mm
Hook Glossy Chrome Coating Ø30xh100mm WT: 1,00mm
Options
Rope 3-Strand Black/Red/Navy/Blue/Yellow/White
Rope 8-Strand Black/Red/Navy/Blue/Yellow/White



Gold Protocol Barrier Rope

InoBarrier® BRGH3M Gold PVD Coating Ø28xh1.500mm

Standards
Rope 3-Strand Lux Silk Ø28xh1.500mm
Hook Glossy Gold PVD Coating Ø30xh100mm WT: 1,00mm
Options
Rope 3-Strand Black/Red/Navy/Blue/Yellow/White
Rope 8-Strand Black/Red/Navy/Blue/Yellow/White



RETRACTABLE BELT BARRIER

You can opt for a retractable belt barrier in areas where traffic flow requires monitoring, management, restriction, or limitation.



Black Retractable Belt Barrier

InoBarrier® BBBA3M Hot Rolled Steel Ø320xh900mm





Standards
Body HRS Glossy Black EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Black Dual Retr. Belt Barrier

InoBarrier® BBBA3M Hot Rolled Steel Ø320xh900mm





Standards
Body HRS Glossy Black EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Chrome Retractable Belt Barrier

InoBarrier® BBCA3M Stainless Steel Ø320xh900mm





Standards
Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Chrome Dual Retr. Belt Barrier

InoBarrier® BBCA3M Stainless Steel Ø320xh900mm





Standards
Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Stackable Chrome Ret. Belt Bar.

InoBarrier® BBCS3M Stainless Steel Ø357xh867mm





Standards
Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Casting Heavy Ø357xh17mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White



Yellow Retractable Belt Barrier

InoBarrier® BBYA3M Hot Rolled Steel Ø320xh900mm





Standards
Body HRS Glossy Yellow EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm · Belt Black/Yellow/Black&Yellow/Red&White · Base Ø350xh50mm



Black Retractable Belt Barrier

InoBarrier® RBCH1M Hot Rolled Steel Ø320xh900mm





Standards
Body HRS Glossy Black EP Coating Ø100xh850mm WT: 1,00mm
Base Hexogonal Rubber Ø440xh50mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt Belt Black/Yellow/Black&Yellow/Red&White · Base Ø350xh50mm





R.B. Barrier Information Sign A4

InoBarrier® BSBA4F ABS + Plexiglass Ø300xh460mm

Standards
Hinged adjustment screws
Suitable for landscape and portrait use (A4 size)
Easy-to-use snap-in/snap-out system
Compatible with four-way mounting configurations







R.B. Barrier Information Sign A5

InoBarrier® BSBA5F ABS + Plexiglass Ø200xh460mm

Standards
Hinged adjustment screws
Suitable for landscape use (A5 size)
Easy-to-use snap-in/snap-out system
Compatible with four-way mounting configurations







R.B. Barrier Mid-Banner

InoBarrier® BSBAMB SS/AL + Tarpaulin w500xh1.000mm

Standards
Replaceable Banner & Compatible with four-way mounting configurations
Options
Options for solid fabric and perforated mesh · White/Black/Red/Yellow/Navy
Available with multi-color and double-sided printing options



BSBAMB



BSCAMB



R.B. Barrier Full-Banner

InoBarrier® BSCAFB SS/AL + Tarpaulin w800xh1.600mm

Standards
Replaceable Banner & Compatible with four-way mounting configurations
Options
Options for solid fabric and perforated mesh · White/Black/Red/Yellow/Navy
Available with multi-color and double-sided printing options



BSCAFB



BSBAFB

FULLY COMPATIBLE, FULLY CUSTOMIZABLE

Our retractable belt barriers feature belt lengths ranging from 2 to 10 meters and are fully customizable.

Furthermore, accessories are designed so as not to interfere with operational functionality, allowing you to use all our belt barrier products in perfect harmony with one another.





WALL-MOUNTED RETR. BELT BARRIER

You might prefer wall-mounted retractable belt barriers for situations requiring the monitoring, restriction, or limitation of access to corridors, storage areas, and service entrances.





Wall-Mounted Chrome Retr. Belt Barrier

InoBarrier® WBCA3M Stainless Steel Ø63xh120mm

Standards
Body SS201 Glossy Chrome Ø63xh120mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Includes wall mount and mounting hardware
Options
Belt 50x2.000mm/50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W





Wall-Mounted Black Retr. Belt Barrier

InoBarrier® WBPA3M ABS w92xl96xh145mm

Standards
Body ABS Black-Black / Red-Black / Yellow Black w92xl96xh145mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Includes wall mount and mounting hardware
Options
Belt 50x2.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White





Wall-Mounted Chrome Retr. Belt Barrier

InoBarrier® WBPA5M ABS w92xl96xh145mm

Standards
Body ABS Black-Black / Red-Black / Yellow Black w92xl96xh145mm
Belt 50x5.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x4.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White





Wall-Mounted Chrome Retr. Belt Barrier


InoBarrier® WBPA1M ABS w110xl115xh168mm

Standards
Body ABS Black-Black / Red-Black / Yellow Black w110xl115xh168mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Includes wall mount and mounting hardware
Options
Belt 50x8.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



BARRIER TRANSPORT TROLLEY

Unlike other service vehicles, the barrier transport trolley is designed for the safe storage and transport of barriers. Its size and functionality can be customized.







Barrier Transport Trolley

InoBarrier® BTMW18 Black EP Coating w800xl800xh1650mm

Standards
Max.capacity of 18 barriers with a base shelf for accessories
Equipped with base contact protection
Maximum load capacity of 120 kg


Options
Wheels 4x360-degree · Wheels 4x4 locking mechanism



MAGNETIC RETR. BELT BARRIER

For your warehouses, markets, and storage facilities, you can opt for a highly mobile magnetic retractable barrier that attaches to magnetic metal surfaces.







Magnetic Retr. Belt Barrier

InoBarrier® MBPA5M ABS + Magnet w92xl96xh145mm

Standards
Body ABS Black-Black / Red-Black / Yellow Black w92xl96xh145mm
Belt 50x5.000mm Anti-Carcinogenic Thread w/ 6 magnets
Options
Belt 50x3.000mm
Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W







Magnetic Retr. Belt Barrier

InoBarrier® MBPA1M ABS + Magnet w110xl115xh168mm

Standards
Body ABS Black-Black / Red-Black / Yellow Black w110xl115xh168mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ 7 magnets
Options
Belt 50x8.000mm
Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W





100% Mobile, 101% Effective

The magnetic retractable belt barrier —*one of the most important products we have developed for occupational safety and the protection of life and property*— meets a critical industry need, serving everything from the world's largest bonded warehouses to the largest oil tankers.

TOP CONNER RETR. BELT BARRIER

A truly mobile piece of equipment for your warehouses, storage and loading facilities, and parking lots that you can place on top of traffic cones.







Cone Topper R.B. Barrier

InoBarrier® TBPA3M ABS Ø90xh230mm

Standards
Body ABS Red Ø90xh230mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x2.000mm
Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W







Cone Topper R.B. Barrier

InoBarrier® TBPA1M ABS Ø150xh280mm

Standards
Body ABS Red Ø150xh280mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt 50x5.000mm / 50x6.000mm / 50x7.000mm / 50x8.000mm
Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W





New Standards

A fully mobile product designed to modernize your standards in workplace safety, storage, and traffic guidance. You can either secure it to a traffic cone or place it on top of one whenever the need arises.



XL WALL-MOUNTED RETR. BELT BARRIER

Admittedly, we've gone on a bit long. But that's because there was a genuine need for equipment capable of handling truly long-duration, continuous operations at air and sea ports, marinas, and truck parking and loading areas. You, too, can own this unique solution.







UP TO 23 METERS

0% JOKE, 100% REAL



XL Wall-Mounted Retr. Belt Barrier

InoBarrier® WBPA9M Hot Rolled Steel w135xl203xh241mm

Standards
Body Hot Rolled Steel Black EP Coating w135xl203xwmm
Belt 50x23.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Options
Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White


FIXED PROFILE BARRIER

In large, high-traffic areas such as airports, materials with high durability and exceptional longevity are often the preferred choice. You might consider fully customizable fixed-profile barriers to meet this requirement.



Fixed-profile barriers are equipment that can be fully customized in terms of dimensions, color, printing, and other features.







Chrome Fixed-Profile Barrier

InoBarrier® BPCA1M Stainless Steel w30xl50xh1.500mm

Standards
Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm
Profile Aluminum Blue EP Coating w30xl50xh1.500mm
Options
Base SS304 Glossy Chrome Ø320xh50mm WT: 1,00mm
Base SS201 Glossy Chrome Ø350xh50mm WT: 1,00mm
Profile Aluminum EP Coating w30xl50xh1.000mm / w30xl50xh2.000mm
Profile Any Glossy RAL Code Color · Multicolor Textured Printing

Black Fixed-Profile Barrier

InoBarrier® BPBA1M Hot Rolled Steel w30xl50xh1.500mm

Standards
Body HRS Glossy Black EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Profile Aluminum Black EP Coating w30xl50xh150mm
Options
Body Any Glossy/Matte RAL Code Color
Base Any Glossy/Matte RAL Code Color
Base HRS Glossy Chrome Ø350xh50mm WT: 1,00mm
Profile Aluminum EP Coating w30xl50xh1.000mm / w30xl50xh2.000mm
Profile Any Glossy/Matte RAL Code Color · Multicolor Textured Printing

Innovative Security Equipments
2026 Product Catalog

The content and images in the catalog are for informational purposes.
Inobarrier® reserves the right to modify the content.
©Copyrights 2026, KIRCA. All rights reserved.

Inobarrier® is a registered brand of Kirca Technology Industry and Foreign Trade Limited Company
Registration Nº: 1061066 · CRS Nº: 0557137663400001 · Tax Nº: 5571376634

inobarrier®

INOBARRIER® IS A BRAND OF KIRCA TECHNOLOGY BASED IN ISTANBUL TURKEY.
OUR PROUDTS ARE MANUFACTURED IN ACCORDANCE WITH INTERNATIONAL STANDARDS.
CONTACT US FOR GLOBAL PROJECTS, DEMANDS & ORDERS.